



BMW Annual Report Details

Application Id: 71012062

| Particulars of the Occupier | |
|---|--|
| Annual report submit for year: | 2023 |
| Name of the authorized person: | Mr Satyananda Mishra |
| Name of HCF or CBMWTF: | Mata Amritanandamayi Math |
| Address for Correspondence: | D-138, Defence Colony |
| Address of Facility: | Super Speciality Hospital & Medical College In Revenue Estate Of Village Palwali & Badshahpur at Faridabad |
| Tel. No.: | 9289654029 |
| Fax. No.: | 011 - 41099600 |
| E-mail ID: | DKD@FBD.AMRITA.EDU |
| URL of Website: | |
| GPS coordinates of HCF of CBMWTF: | |
| Ownership of HCF or CBMWTF: | Private |
| Status of Authorization under the BMW (Management and Handing) Rules: | |
| Authorization No.: | BMW22FDBD29432192 |
| Valid Upto: | 31/03/2025 |
| Status of Consents under Water Act and Air Act.: | |
| Valid Upto: | 30/09/2024 |

| Health Care Facilities Details | |
|--|------------|
| HCF/CBMWTF Type: | HCF |
| No. of Beds(for Bedded Hospital): | 525 |
| Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other): | NIL |
| Licence Number: | 0608800089 |
| Licence date of expiry: | 04/01/2025 |

| Quantity of Waste Generated | |
|--|------|
| Quantity of waste generated or disposed in Kg per annum (on monthly average basis) | |
| Yellow Category: | 2151 |
| Red Category: | 2707 |
| White Category: | 92 |
| Blue Category: | 520 |
| General Solid Waste: | 7905 |

Storage, Treatment, Transportation, Processing and Disposal Facility Details

| | |
|---|---|
| Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum: | 0 |
| No of vehicles used for collection and transportation of BMW: | 1 |
| Name of the Common BMW Treatment Facility Operator through which wastes are disposed of: | M/S GOLDEN EAGLE WASTE MANAGEMENT COMPANY |
| Details of the on-site storage facility: | |
| Size: | 395.1SQFT |
| Capacity: | 3951.3CFT |
| Provision of on-site storage: | AIR CONDITIONING PROVIDED |

| Disposal Facility | | | |
|-----------------------------|-----------------|------------------|--|
| Type of Treatment Equipment | Number of Units | Capacity(Kg/day) | Quantity Treated or Disposed(Kg/annum) |
| Autoclaves | 1 | 100 | 340 |
| Autoclaves | 1 | 240 | 450 |

| Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum | | |
|--|--------------------|----------------|
| Type of waste | Quantity Generated | Where disposal |
| List is Empty | | |

| BMW Management Committee | |
|---------------------------------------|--------------|
| Do you have BMW management committee: | yes |
| details: | MOM ATTACHED |

| Training Conducted on BMW Details | |
|--|-----|
| Number of training conducted on BMW Management: | 140 |
| Number of personnel trained: | 942 |
| Number of personnel trained at the time of induction: | 462 |
| Number of personnel not undergone any training so far: | 0 |
| Whether standard manual for training is available: | yes |
| Any other information: | |

| Details of the accident occurred | |
|----------------------------------|---|
| No. of accident occurred: | 0 |
| Number of the persons affected: | 0 |
| Remedial Action taken: | 0 |
| Any Fatality occurred, details: | 0 |

| Other Details | |
|---|-----------------------------|
| Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?: | N/A, WE HAVE NO INCINERATOR |

| | |
|---|--|
| Details of Continuous online emission monitoring systems installed: | N/A |
| Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year: | TREATMENT PLANT INSTALLED ALL PARAMETERS WITH IN THE LIMIT |
| It the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?: | NIL |
| Any other relevant information: | NIL |